



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/776,982	02/11/2004	David P. Gurney	BCS03463	4523
43471	7590	06/13/2008		
Motorola, Inc. Law Department 1303 East Algonquin Road 3rd Floor Schaumburg, IL 60196			EXAMINER TAYONG, HELENE E	
			ART UNIT 2611	PAPER NUMBER
			NOTIFICATION DATE 06/13/2008	DELIVERY MODE ELECTRONIC

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

Docketing.Schaumburg@motorola.com  
APT099@motorola.com

<b>Office Action Summary</b>	<b>Application No.</b> 10/776,982	<b>Applicant(s)</b> GURNEY ET AL.	
	<b>Examiner</b> HELENE TAYONG	<b>Art Unit</b> 2611	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 31 March 2008.
- 2a) ☐ This action is **FINAL**.                      2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☐ Claim(s) 1-11, 13-22 and 24-27 is/are pending in the application.  
4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-3, 9-11, 13-17, 20-22 and 24-27 is/are rejected.
- 7) ☒ Claim(s) 4-8, 18 and 19 is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 2/11/04 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All    b) ☐ Some \*    c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |                                                                                                            |                                                                                         |
|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)                                | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                       | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____                                                |

### **DETAILED ACTION**

1. This office action is in response to the amendment filed on July 20, 2007. Claims 1-11, 13-22 and 24-27 are presently pending. Claims 1-11, 13-22 and 24-27 are rejected. Claims 12 and 23 have been cancelled. Claims 1-11, 13-22 and 24-27 are pending in this application and have been considered below.
2. Applicant's request for reconsideration of the finality of the rejection of the last Office action is persuasive and, therefore, the finality of that action is withdrawn.

### **Response to Arguments**

3. Applicants arguments regarding the rejection under 35 U.S.C. 102(b) as being anticipated by U.S. Patent No. 5,289,476 to Johnson et al.; rejected claims 6 and 7 under 35 U.S.C. 103(a) as being unpatentable over Johnson et al. in view of U.S. Patent No. 7,095,274 to Lopez Villegas and U.S. Patent Publication No. 2002/0186786 to Seo and rejected claims 12-15 and 23- 26 under 35 U.S.C. 103(a) as being unpatentable over Johnson et al. in view of U.S. Patent No. 5,822,384 to Thebault et al. have been considered but are moot in view of the new ground(s) of rejection.

### ***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the

Art Unit: 2611

invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-3,16-17 and 20-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Johnson et al (US 5289476) in view of Gibson et al (US 7120333).

(1) with regards to claim 1;

Johnson et al in (figure 2) discloses a method for improving burst acquisition in a digital communication device comprising:

receiving a signal ( col. 6, lines 29-30); and

performing a sync word search on said signal ( col. 7, lines 13-16);

a lower order modulation detection and correlation process ( BPSK), and a higher order modulation detection and correlation process(QPSK) (col.8, lines 29-41).

Johnson et al discloses all of the subject matter discussed above, but for specifically teaching sync word search includes performing a hybrid synchronization technique.

However, Gibson et al in the same endeavor (frame sync detection) discloses in (figs. 2, 3A and 3B) a hybrid synchronization technique (col. 4, lines 15-67 and col.5, lines 1-24).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have incorporated the technique of Gibson et al in the method of Johnson et al in order to rapidly identify the sync word and for increased speed in data processing.

(2) with regards to claim 2;

Johnson et al further discloses wherein said lower order modulation detection and correlation process comprises performing a biphase shift keying (BPSK) sync word correlation process (col.10, lines 13-15).

(3) with regards to claim 3;

Johnson et al further discloses wherein said higher order modulation detection and correlation process comprises performing a quadrature phase shift keying (QPSK) sync word correlation process ( col.10, lines 15-19).

(4) with regards to claim 16;

Johnson et al further discloses a tuner (interpreted as filter, fig. 2,18, col.6,lines 29-37); and

a demodulator (interpreted as transceiver fig. 2,51); wherein said demodulator is configured to receive a signal and perform a sync word search on said signal( col. 7, lines 13-16);

a lower order modulation detection and correlation process, and a higher order modulation detection and correlation process (col.8, lines 29-41).

Johnson et al discloses all of the subject matter discussed above, but for specifically teaching sync word search includes performing a hybrid synchronization technique.

However, Gibson et al in the same endeavor (frame sync detection) discloses in (figs. 2, 3A and 3B) a hybrid synchronization technique (col. 4, lines 15-67 and col.5, lines 1-24).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have incorporated the technique of Gibson et al in the method of Johnson

et al in order to rapidly identify the sync word and for increased speed in data processing.

(5) with regards to claim 17;

Johnson et al further discloses wherein said lower order modulation detection and correlation process comprises a biphase shift keying (BPSK) sync word correlation process and said higher order modulation detection comprises a quadrature phase shift keying (QPSK) sync word correlation process (col.8, lines 29-41).

(6) with regards to claim 20;

Johnson et al as modified by Gibson et al discloses all of the subject matter discussed above, but for specifically teaching a performing a squelching function on said received signal prior to said sync word search.

However, Rostany et al in the same endeavor (detection) discloses in figs. 1, (108), 2, (208) fig. 6, step 613-615) a squelching function that compares the energy measurement signals to a predetermine threshold (col. 4, lines 5-53).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have incorporated the device of Rostany et al in the system of Johnson et al as modified by Gibson et al in order to remove interference.

(7) with regards to claim 21;

Johnson et al further discloses wherein said sync word search is not performed until a multi-step burst detection process detects a burst (col. 9, lines 1-9).

6. Claims 9 and 10 are rejected under 35 U.S.C. 103(a) as being unpatentable over Johnson et al (US 5289476) in view of Gibson et al (US 7120333) as applied in claims 1 above, and further in view of Rostany et al ( US 5970399).

(1) with regards to claim 9;

Johnson et al as modified by Gibson et al discloses all of the subject matter discussed above, but for specifically teaching a performing a squelching function on said received signal prior to said sync word search.

However, Rostany et al in the same endeavor (detection) discloses in figs. 1, (108), 2, (208) fig. 6, step 613-615) a squelching function that compares the energy measurement signals to a predetermine threshold (col. 4, lines 5-53).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have incorporated the device of Rostany et al in the system of Johnson et al as modified by Gibson et al in order to remove interference.

(2) with regards to claim 10;

Johnson et al further discloses wherein said sync word search is not performed until a multi-step burst detection process detects a burst (col. 9, lines 1-9).

7. Claims 11, 13-15, 22, 24-27 rejected under 35 U.S.C. 103(a) as being unpatentable over Johnson et al (US 5289476) in view of Rostany et al ( US 5970399).

(1) with regards to claims 11 and 22;

Johnson et al discloses receiving a signal (col. 6, lines 29-30); and

performing a multi-step burst detection process on said signal (col. 9, lines 1-9);

wherein the multi-step detection process further comprises:

Jonsson et al discloses all of the subject matter discussed above, but for specifically teaching measuring a signal energy;

comparing said signal energy to a designated signal energy threshold value: measuring a signal carrier to noise plus interference ratio (CIR); comparing said CIR measurement to a designated CIR threshold value; and signaling a valid burst detection if said signal energy exceeds said designated signal energy threshold value for a first predetermined period of time and said CIR exceeds said designated CIR threshold value for a second predetermined period of time.

However, Rostany et al in the same endeavor (detection) discloses in (figs. 1, (106),(108), 2,(206), (208) fig. 6, step 613-615) , measuring energy and a squelching function that compares the energy measurement signals to a predetermine threshold (col. 4, lines 5-53) and in (fig. 5), a two threshold function is used (col. 6, lines 26-45).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have incorporated the device of Rostany et al in the system of Johnson et al as modified by Gibson et al in order to remove interference.

(2) with regards to claim 13;

Johnson et al discloses all of subject matter as described above except for specifically teaching wherein said designated signal energy threshold value comprises a first signal energy threshold that is utilized to detect a presence of said signal if said signal is currently undetected, and a second signal energy threshold that is utilized to detect the absence of said signal if said signal is currently detected.



However, Rostany et al in the same endeavor (detection) discloses in figs. 1, (108), 2, (208) fig. 6, step 613-615) a squelching function that compares the energy measurement signals to a predetermine threshold (col. 4, lines 5-53) and in (fig. 5) a two threshold function is used (col. 6, lines 26-45).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have incorporated the device of Rostany et al in the system of Johnson et al in order to remove interference.

(3) with regards to claim 14;

Johnson et al discloses all of subject matter as described above except for specifically teaching wherein said designated CIR threshold value comprises a first CIR threshold that is utilized to detect the presence of said signal if said signal is currently undetected, and a second CIR threshold that is utilized to detect the absence of said signal if said signal is currently detected.

However, Rostany et al in the same endeavor (detection) discloses in figs. 1, (108), 2, (208) fig. 6, step 613-615) a squelching function that compares the energy measurement signals to a predetermine threshold (col. 4, lines 5-53) and in (fig. 5) a two threshold function is used (col. 6, lines 26-45).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have incorporated the device of Rostany et al in the system of Johnson et al in order to remove interference.

(4) with regards to claims 15 and 26;

Johnson et al discloses all of subject matter as described above except for specifically teaching wherein said first and second predetermined periods of time comprise a majority of an expected burst duration.

However, Rostany et al in the same endeavor (detection) discloses in figs. 1, (108), 2, (208) fig. 6, step 613-615) a squelching function that compares the energy measurement signals to a predetermine threshold (col. 4, lines 5-53) and in (fig. 5) a two threshold function is used (col. 6, lines 26-45).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have incorporated the device of Rostany et al in the system of Johnson et al in order to remove interference.

(5) with regards to claim 24;

Johnson et al discloses all of subject matter as described above except for specifically teaching wherein said programmable signal energy threshold value comprises a first signal energy threshold that is utilized to detect a presence of said signal if said signal is currently undetected, and a second signal energy threshold that is utilized to detect the absence of said signal if said signal is currently detected.

However, Rostany et al in the same endeavor (detection) discloses in figs. 1, (108), 2, (208) fig. 6, step 613-615) a squelching function that compares the energy measurement signals to a predetermine threshold (col. 4, lines 5-53) and in (fig. 5) a two threshold function is used (col. 6, lines 26-45).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have incorporated the device of Rostany et al in the system of Johnson et al as modified by Gibson et al in order to remove interference.

(6) with regards to claim 25;

Johnson et al discloses all of subject matter as described above except for specifically teaching wherein said programmable CIR threshold value comprises a first CIR threshold that is utilized to detect the presence of said signal if said signal is currently undetected, and a second CIR threshold that is utilized to detect the absence of said signal if said signal is currently detected.

However, Rostany et al in the same endeavor (detection) discloses in figs. 1, (108), 2, (208) fig. 6, step 613-615) a squelching function that compares the energy measurement signals to a predetermine threshold (col. 4, lines 5-53) and in (fig. 5) a two threshold function is used (col. 6, lines 26-45).

It would have been obvious to one of ordinary skill in the art at the time of the invention to have incorporated the device of Rostany et al in the system of Johnson et al as modified by Gibson et al in order to remove interference.

(7) with regards to claim 27;

Johnson et al further discloses wherein said system comprises a digital receiver (fig. 2, col. 5, lines 30 -35).

***Allowable Subject Matter***

8. Claims 4-8, 18 and 19 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims. The following is a statement of reasons for the indication of allowable subject matter: The prior art of records does not teach using a result of said higher order modulation detection and correlation process to modify a result of said lower order modulation detection and correlation process.

**Conclusion**

9. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Stewart et al (US 2005/00084040) discloses a method of modulation detection.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HELENE TAYONG whose telephone number is (571)270-1675. The examiner can normally be reached on Monday-Friday 8:00 am to 5:30 pm EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Liu Shuwang can be reached on 571-272-3036. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2611

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Helene Tayong/  
Examiner, Art Unit 2611

June 8, 2008  
/Shuwang Liu/  
Supervisory Patent Examiner, Art Unit 2611